

Fig. 1A




Fig. 1B

Request code	Descriptions
ReqGotoContent	Request message to get content. Request data includes: <ul style="list-style-type: none"> - URL - device information - screen width, height, color depth, etc.
ReqPage	Request message to get a set of graphical primitives to render one page. Request data includes: <ul style="list-style-type: none"> - start page number - end page number

Return code	Descriptions
RcdOK	
RcdError	This indicates existence of error in server
RcdFont	Font pattern images for content
RcdPageGprimitives	Graphic primitives for each pages

Fig. 1C




Fig. 2

</body>
</html>

Nokia has signed an agreement valued at almost USD 40 million, with Shanghai Mobile Communications Company for the expansion of its *GSM 1800* network in China. The deal sees the mobile network capacity increase by a million subscribers and this phase of the network is expected to be operational next year. Nokia will supply and install *GSM 1800* base stations.

302





FIG. 4



501



face	size	style	char	count	Up to 255 font faces
Arial	16	plain	e	323	
Arial	16	plain	o	261	
Serif	24	bold	A	102	
		...			

502

Fig. 5A

No.	face	size	style	char	count
0	Arial	16	plain	e	323
1	Arial	16	plain	o	261
2	Times	12	bold	A	102
3	Times	12	bold	h	89

503

504





FIG. 5B


No.	face	size	style	character
0	Arial	16	plain	e
1	Arial	16	plain	o
2	Times	12	bold	A
3	Times	12	bold	h
34	Arial	16	plain	t

503



(100,100)	34	0	X	34	...
-----------	----	---	---	----	-----

506



505

FIG. 5C